







## **FEATURES**

Rugged Aluminum Design

Screened Louvers on Door for Ventilation

Provides Great Protection Against Corrosion

Chemical Resistant and Impervious to Dents

Weather Resistant Design

Stainless Steel Hinge, Screws, and Pad Lock Hasp UL Listed to UL508A

SSB-SS Series Solar Battery Enclosures are fabricated from .125 5052 aluminum and is manufactured to NEMA 3R specifications. These are typically used for Group 27 or smaller batteries. Mounting slots accept U-Bolts for mounting on pipe. They also can be mounted to a flat surface, or to larger poles with additional hardware.

## General Specifications

Model No:	SSB-SS-1	SSB-SS-2	SSB-SS-3
Material:	Aluminum	Aluminum	Aluminum
Space For Batteries:	1 EA. Group 27	2 Ea. Group 27	3 Ea. Group 27
Back Panel (Included)	14" x 13"	15" x 16"	15" x 22"
Dimensions:	18"H x 16"W x 12"D	18"H x 18"W x 18"D	18"H x 25"W x 18" D
Weight (Empty)	22 lbs.	32 lbs.	37 lbs.

© 2014:: Imagine Instruments LLC:: 4500 Williams Drive, #Ste 212-318:: Georgetown, TX 78633:: p. (855)574-6243, e-mail: info@imagineinstruments.com:: www.imagineinstruments.com

Note: Continued product improvements make specifications subject to change without notice. Check www.imagineinstruments.com for the latest product information and updates

Released: 25 January, 2012:: Rev: D